


# GRD 120

## Oil Coolers GR S/D Series



### Gamma Oil Coolers

Product Code	Type of Setting	Overall H	Fan diameter	Fan Power m3/h	M.R. dm3	Power Consumpt.
RU0345400000	UNCOVERED	55	-	-	5,35	-
RU0345400011	12V Suct.	210	305	1839	5,35	16,5 A
RU0345400012	12V Blow.	210	305	1736	5,35	14,9 A
RU0345400021	24V Suct.	210	305	2161	5,35	10,3 A
RU0345400022	24V Blow.	210	305	2050	5,35	9,1 A
RU0345400031	230V-50/60Hz Suct.	175	300	3745	5,35	1,55 A
RU0345400032	230V-50/60Hz Blow.	175	300	3745	5,35	1,55 A
RU0345400041	230/400V-50/60Hz 3FN Suct.	175	300	3350	5,35	0,48 A
RU0345400042	230/400V-50/60Hz 3FN Blow.	175	300	3350	5,35	0,48 A
RU0345400051	Pred. Hydraulic. Suct. (Supp. G2)	225	300	3080	5,35	0,41 kW
RU0345400052	Pred. Hydraulic. Blow. (Supp. G2)	225	300	3080	5,35	0,41 kW



### Technical Specification

Minimum Range

Kw 10 : 15 lt

Maximum Range

Kw 20 : 80 lt



The overall dimensions and the technical characteristics are to be considered indicative, dealing with standard products in constant evolution.

